

Material Safety Data Sheet

TAG BODY ART AUSTRALIA

23/02/11

1. Chemical product and company identification

DESCRIPTION: Aquacolour, Neon Colours.

PRODUCT TYPE: Paste cake type paints

APPLICATION: For Hair and Special FX

Manufacturer, supplier information.

Company Name: TAG Body Art

Company Address: PO Box 982, Nairne SA 5252 Australia

Telephone: +61 8 83886893

POISON CONTROL CENTRE: Tel 131126 (AUS)

2. Composition, Information on ingredients

Paints formulated with Wax, Petrolatum, Glycerine, Calcium Carbonate, Stearyl Alcohol, Sodium Benzoate, Acacia Senegel, Dextrin, Water, Perfume and Non Toxic Fluorescent Pigments.

Contains no hazardous ingredients.

3. Hazards Identification

3.1 HMIS Rating

4 = severe

3 = serious

2 = moderate

1 = slight

0 = minimal

HEALTH 0

FLAMMABILITY 0

REACTIVITY 0

3.2 Potential Health Effects

Immediate Hazards

INGESTION: No hazards known

INHALATION: No hazards known

SKIN: No hazards known

EYES: No hazards known

Delayed Hazards

No hazards known

4. First Aid Measures

INGESTION: Not expected to require first aid measures. If large amounts are swallowed, give water to drink and get medical advice.

EYES: Immediately flush eyes with plenty of water.

SKIN: Wash the skin with soap and water.

INHALATION: Remove to fresh air. Seek medical attention for any breathing difficulties.

5. Fire Fighting Measures

Auto-ignition Temperature Not Available

Upper / Lower Flammable Limits Not Available

Upper / Lower Explosive Limits Not Available

Flash Point >150°C

Will not burn unless > 250°C

Suitable Extinguishing Media: Carbon Dioxide, Powders, Water Spray

6. Accidental Release Measures

Protective Measures: Children under 6 years should use with adult supervision.

7. Handling and Storage

7.1 Handling

Handle in accordance with good industrial hygiene and safety practices.

7.2 Storage

Store in a cool, dry place.

8. Exposure Controls / Personal Protection

8.1 Exposure Controls

No specific control measures necessary under normal conditions of use.

8.2 Personal Protection

No special protection necessary.

8.3 Exposure Guidelines

None established.

9. Physical and Chemical Properties

Percent Volatiles	<1.5% Water
PH @ 20	-----
Specific Gravity	1.70 ± 0.30g/ml
Appearance	Colours Solid
Auto – ignition Temperature	Not available
Melting Point	>250°C
Vapour Density (Air =1)	-----
Vapour Pressure hPA @20	N/A kg/cm
Evaporation Rate (Butyl Acetate = 1)	Not Available
Upper/ Lower Explosive Limits, % by Vol	Not Available
Upper/ Lower Flammable Limits	Not Available
Flash Point	>150°C
Freezing Point	-----
Odour	Mild, Fruity
Odour Threshold .ppm	Not available
Solubility in Water	Soluble
Coefficient of Water/ Oil Distribution	Not Available

10. Stability and Reactivity

Normally Stable

Conditions to avoid:

Over exposure to water, or too wet

Incompatibilities:

None Known

Decomposition Products may include:

Calcium Oxide, Water, Carbon Dioxide

Hazardous polymerization:

Will not occur

Other Hazards:

None Known

11. Toxicological Information

There is no data available on the preparation itself.

12. Ecological Information

There is no data available on the preparation itself.

13. Disposal Consideration

Dispose of according to Local, State/ Provincial and Federal requirements.

14. Transport Information

14.1 US: Department of Transportation (DOT)

The data provided in the section is for information only and may not be specific for your package size. You will need to apply to the appropriate regulators to properly classify your shipment for transportation. NOT REGULATED

14.2 Canadian Transportation of Dangerous Goods

NOT REGULATED

15. Regulatory Information (Selected Regulations)

15.1 US Federal Regulation:

These Paint Products CONFORMS to the health requirements of ASTM D-4236. These products must bear the following statement: "Conforms to ASTM D-4236."

15.2 Canadian Regulations:

Unknown

15.3 These paint products conform to EN – 71.